

Specifications

Meld

466387


maharam



001 Vast



002 Panda



003 Skyline



004 Knight



005 Quill




006 Pipe




007 Grate




008 Gloss




009 Bulb



010 Bride




011 Stark




012 Seashell



013 Antler




014 Crater



015 Perennial




016 Mulberry



017 Fuchsia



018 Amethyst



019 Merlot




020 Magma



021 Rooster



022 Heat




023 Clementine




024 Fox



025 Kiss



026 Bare



027 Blonde




028 Mimosa




029 Comet



030 Honeydew



031 Wild



032 Vine



033 Seed



034 Kale



035 Waterfall



036 Nordic



037 Reef



038 Wave



039 Isle



040 Creek



041 Mariner



042 Globe



043 Spa

Specifications

Meld

466387

maharam

Application

Seating, Systems, Upholstered Walls

Note: This textile is available as a made-to-order pillow.

Characteristics

Content: 68% Post-Consumer Recycled Polyester, 32% Polyester

Finish: Stain Repellent

Additional Finishes Available: Alta, Alta Food and Beverage, Antimicrobial Stain Resistant Finish with Impermeable Backing, Crypton, Nanotex, Nanotex with Impermeable Barrier

Backing: None

Width: 54" (137cm)

Bolt Size: 35 yards (32 m)

Weight: 16.5 oz/ly (512 gr/lm)

Country of Origin: USA

Price

Contact your sales representative for pricing.

Maintenance

W/S-Clean with water-based cleanser or mild, water-free dry cleaning solvent.



Testing

Abrasion: ASTM D4157, 100,000 double rubs Wyzenbeek

Note: Abrasion test results exceeding ACT Performance Guidelines are not an indicator of product lifespan.

Multiple factors affect fabric durability and appearance retention.

Acoustics: ASTM C423, 0.85 NRC

Flammability: AS/NZS 1530.3

AS/NZS 3837 Unadhered

ASTM E 84 Unadhered

BS 476 Unadhered*

BS 5852 Crib 5*

CAL 117-2013

CAN ULC S102 Unadhered

EN 1021-1*

EN 1021-2*

EN 13501 Unadhered*

GB/T 17591*

ISO 5660 Unadhered

NFPA 701*

*passes with additional treatment

Lightfastness: AATCC 16E, 40+ hours



Specifications

Meld

466387

maharam

Environmental

Greenguard and Greenguard Gold Certified

GRS Certified

REACH Compliant

Contains Recycled Content

FR Free

Warranty

3 years: Indoor Seating

3 years: Upholstered Walls.

© 2017 Maharam

Complete product information at maharam.com

800.645.3943